





## **Fixed & Vari HP Cool Arms**

simply sophisticated

Noga is introducing its patent pending newest product to the Cooling Systems line. Our **High Pressure** (HP) Arms will become synonymus in the industry for stability and flexibility.

The Fixed HP Cool Arm and Vari HP Cool Arm can be fitted with three different sizes of nozzles which will deliver fluids or cooling liquids at high pressure, up to 1000 PSI, allowing a higher level of machining. The arms are easy and fast to set in position.





#### **CA2000 Fixed HP Cool Arm**

Single arm with 2 end ball joints so the nozzles can move on wide curve for positioning.




Dimensions: Length: 164 mm Thread: Int. NPT 1/4"



#### CA3000 Vari HP Cool Arm

Long Articulated Arms provide full axis rotation. Sturdy tightening fixtures for total stability.









## **Fine Mini Set**



## FT10001 Mini Extra Fine Deburring Tool Deburring tool with the finest HSS blade S150 for extra fine jobs



## FT11001 Mini Scraper Fine triangular HSS mini-scraper D50 ideal for tool and die maker



#### FT12001 Mini Rotodrive Countersink

3.2 mm Rotodrive countersink blade deburrs and countersinks small holes 0 - 3 mm Dia.



#### FT3000 **Fine Mini Set**

Set Includes: FT10001 FT11001 FT12001

Blades are not replaceable.







## **NEW**PRODUCTS

## **Non Scratch**

#### NG1910 Tool with non scratch blade with safety cap

Removing burrs from workpieces may sometimes leave unsightly scratches, Noga's NG-1 handle with the NEW non scratch blade with safety cap will prevent friction therefore eliminating scratches. Works best on steel, aluminum and plastic materials.




#### Includes:

#### NG1000 NG-1 Handle

Ergonomically and hand perfect fit handle



## **BS9110** Non Scratch HSS Blade with safety cap Plastic safety cap will protect workpiece surface from scratches









## CR1500 Mini Ceramic Handle and Convexed Blade

Ideal for surface scraping and parting line deflashing. Perfect for all plastic materials and soft metals. Replacement blades available.



#### Includes:

#### **CR1400** Mini Ceramic Handle

A unique mini plastic handle that holds the blade by its self gripping taper. Storage space for blades.



#### **CR1550** Mini Convexed Blade

Ideal for surface scraping and parting line deflashing on small fine parts.



## **Ceramic Tools**

#### CR4100 Adjustable Ceramic Mini Scraper

Ceramic mini scraper ideal for surface cleaning, trimming deburring and parting line deflashing almost all plastics. Special blade design for safety.



Includes:

#### YT10004 Ceramic Mini Scraper Handle

The perfect grip for adjustable ceramic mini scrapers

Range:

2.2 - 4.5 mm




#### **CR4500** Ceramic Blade

Fine ceramic mini-scraper blade

Dimensions: 4 x 50 mm









### MultiBurr RG1000

The handy universal deburring set with multipurpose blades will help you produce a perfect finish for a wide variety of jobs.

This innovative tool set has 4 folding shafts which can be easily locked into position for the duration of the work and then folded neatly back into the handle allowing the tool to be carried simply anywhere.









cast iron









**AD4000** 



Make a quick change to your equipment without having to fiddle with screws and threads.

In low light, tight space or with no time to lose, whatever the conditions simply pull back the red sleeve and slot in your camera, light source or any other device into the Quick Release attachment.

Quick Release can be held by a range of Noga arms.

NEWPRODUCTS FAT& FAB



# NF Holder with Double Fine Adjustment

New double fine adjustment:
 BOTTOM: unique single direction
 TOP: universal swival clamp

• Holds 6 mm, 8 mm, 3/8", dovetail and back lug.

• Unique central locking mechanism with Noga designed spring loaded bearing.

• Five axis holder.

• Powerful ON/OFF magnetic base 32 kg (70 lbs)

• Instantly fastens in any position

Fast and easy to set up gauges into required position

Black finished arms



Bottom Arm: 56 mm Top Arm: 51 mm

#### **NF 6160**

Includes:


NF60003 NF Arms

FA1500 Zinc cast fine adjustment NF3778 ON/OFF magnetic base with

fine adjustment







[C]NOGA

• Unique central locking mechanism with Noga designed spring loaded bearing.

• Five axis holder.

• Powerful ON/OFF magnetic base 80kg (176 lbs)

• Instantly fastens in any position

• Fast and easy to set up gauges into required position

Black finished arms

Dimensions:

Bottom Arm: 133 mm Top Arm: 113 mm

#### MG 6161

Includes:

MG60003 MG Arms

Zinc cast fine adjustment FA1500 DG3678 ON/OFF magnetic base with


fine adjustment




## **ACCESSORIES**

# NOGA simply sophisticated


#### **M6**



#### M8 & M10 x 1.25




#### **CLAMPS**




**DG** Magnets

Vacuum Base /

MG & MA Clamps







Order No.	Max. Load	Weight		Force	Thread	L		W		Н	
	Туре	Kg	lbs	[N]		mm	inch	mm	inch	mm	inch
DG0036	ON/OFF Magnet	1.000	2.200	800	M8	60	2.36	50	1.97	55	2.16
DG1003	ON/OFF Magnet multi thread	1.350	2.380	1000	M6/8/10/12 10x 1.25	75	2.95	50	1.97	55	2.16
DG0040	Vacuum Base	0.400	0.880	350	M8	Ø 100		-	-	-	-
MG0125	3" Clamp with plastic cover	0.600	1.320	-	Int. M8	75	2.95	-	-	-	-
MG1006	3" Clamp	0.570	1.254	-	Ext. M8	75	2.95	-	-	-	-
MG1003	3" Clamp	0.600	1.320	-	Int. M8	75	2.95	-	-	-	-
MA0320	4" Clamp	1.160	2.552	-	Int. M10 x 1.25	100	3.94	-	-	-	-



# PRODUCTS 2016



Noga Engineering and Technology (2008) Ltd.

P.O.B. 55. Dora Industrial Park

Shlomi 22832, Israel

Tel: 972-4-9808080

Fax: 972-4-9808638

E-mail: noga@noga.com

www.noga.com